



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
1X1	125	HRB	20' -- 240"	100	2,000	1.436	2,872
	125	HRB	24' -- 288"	100	2,400	1.436	3,446
1.5X1.5	188	HRB	20' -- 240"	48	960	3.04	2,918
	188	HRB	24' -- 288"	48	1,152	3.04	3,502
2X2	083	HRB	20' -- 240"	50	1,000	2.16	2,160
	083	HRB	24' -- 288"	50	1,200	2.16	2,592
	109	HRB	24' -- 288"	50	1,200	2.8	3,360
	125	HRB	20' -- 240"	50	1,000	3.05	3,050
	125	HRB	24' -- 288"	50	1,200	3.05	3,660
	125	HRB	40' -- 480"	25	1,000	3.05	3,050
	188	HRB	20' -- 240"	25	500	4.32	2,160
	188	HRB	24' -- 288"	25	600	4.32	2,592
	188	HRB	40' -- 480"	25	1,000	4.32	4,320
	250	HRB	20' -- 240"	25	500	5.41	2,705
	250	HRB	24' -- 288"	25	600	5.41	3,246
250	HRB	40' -- 480"	25	1,000	5.41	5,410	
3X1	083	HRB	24' -- 288"	50	1,200	2.16	2,592
	125	HRB	24' -- 288"	50	1,200	3.05	3,660
2.5X1.5	083	HRB	24' -- 288"	48	1,152	2.16	2,488
	125	HRB	24' -- 288"	48	1,152	3.05	3,514
	188	HRB	24' -- 288"	24	576	4.32	2,488
3X1.5	083	HRB	24' -- 288"	40	960	2.39	2,294
	125	HRB	20' -- 240"	40	800	3.48	2,784
	125	HRB	24' -- 288"	40	960	3.48	3,341
	188	HRB	20' -- 240"	40	800	4.96	3,968
	188	HRB	24' -- 288"	40	960	4.96	4,762
	188	HRB	40' -- 480"	40	1,600	4.96	7,936
2.5X2.5	083	HRB	24' -- 288"	40	960	2.67	2,563
	125	HRB	20' -- 240"	40	800	3.9	3,120
	125	HRB	24' -- 288"	40	960	3.9	3,744
	125	HRB	40' -- 480"	40	1,600	3.9	6,240
	188	HRB	20' -- 240"	30	600	5.59	3,354
	188	HRB	24' -- 288"	30	720	5.59	4,025
	188	HRB	40' -- 480"	18	720	5.59	4,025
	250	HRB	20' -- 240"	30	600	7.11	4,266
	250	HRB	24' -- 288"	30	720	7.11	5,119
	250	HRB	40' -- 480"	24	960	7.11	6,826

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
3X2	083	HRB	24' -- 288"	36	864	2.67	2,307
	125	HRB	20' -- 240"	36	720	3.9	2,808
	125	HRB	24' -- 288"	36	864	3.9	3,370
	125	HRB	40' -- 480"	20	800	3.9	3,120
	188	HRB	20' -- 240"	30	600	5.59	3,354
	188	HRB	24' -- 288"	30	720	5.59	4,025
	188	HRB	40' -- 480"	20	800	5.59	4,472
	250	HRB	20' -- 240"	30	600	7.11	4,266
	250	HRB	24' -- 288"	30	720	7.11	5,119
250	HRB	40' -- 480"	20	800	7.11	5,688	
3X3	083	HRB	24' -- 288"	15	360	3.24	1,166
	125	HRB	20' -- 240"	15	300	4.75	1,425
	125	HRB	24' -- 288"	15	360	4.75	1,710
	125	HRB	40' -- 480"	15	600	4.75	2,850
	188	HRB	20' -- 240"	15	300	6.87	2,061
	188	HRB	24' -- 288"	15	360	6.87	2,473
	188	HRB	40' -- 480"	15	600	6.87	4,122
	250	HRB	20' -- 240"	15	300	8.81	2,643
	250	HRB	24' -- 288"	15	360	8.81	3,172
250	HRB	40' -- 480"	15	600	8.81	5,286	
3.5X2.5	188	HRB	20' -- 240"	15	300	6.87	2,061
	188	HRB	24' -- 288"	15	360	6.87	2,473
	188	HRB	40' -- 480"	15	600	6.87	4,122
4X2	083	HRB	24' -- 288"	16	384	3.24	1,244
	125	HRB	20' -- 240"	16	320	4.75	1,520
	125	HRB	24' -- 288"	16	384	4.75	1,824
	125	HRB	40' -- 480"	16	640	4.75	3,040
	188	HRB	20' -- 240"	16	320	6.87	2,198
	188	HRB	24' -- 288"	16	384	6.87	2,638
	188	HRB	40' -- 480"	16	640	6.87	4,397
	250	HRB	20' -- 240"	16	320	8.81	2,819
	250	HRB	24' -- 288"	16	384	8.81	3,383
250	HRB	40' -- 480"	16	640	8.81	5,638	
3.5X3.5	125	HRB	24' -- 288"	12	288	5.61	1,616
	188	HRB	20' -- 240"	12	240	8.15	1,956
	188	HRB	24' -- 288"	12	288	8.15	2,347
	188	HRB	40' -- 480"	12	480	8.15	3,912
	250	HRB	20' -- 240"	12	240	10.51	2,522
	250	HRB	24' -- 288"	12	288	10.51	3,027
	250	HRB	40' -- 480"	12	480	10.51	5,045

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
4X3	125	HRB	24' -- 288"	12	288	5.61	1,616
	125	HRB	40' -- 480"	12	480	5.61	2,693
	188	HRB	20' -- 240"	12	240	8.15	1,956
	188	HRB	24' -- 288"	12	288	8.15	2,347
	188	HRB	40' -- 480"	12	480	8.15	3,912
	250	HRB	20' -- 240"	12	240	10.51	2,522
	250	HRB	24' -- 288"	12	288	10.51	3,027
	250	HRB	40' -- 480"	12	480	10.51	5,045
5X2	125	HRB	24' -- 288"	12	288	5.61	1,616
	125	HRB	40' -- 480"	12	480	5.61	2,693
	188	HRB	20' -- 240"	12	240	8.15	1,956
	188	HRB	24' -- 288"	12	288	8.15	2,347
	188	HRB	40' -- 480"	12	480	8.15	3,912
	250	HRB	20' -- 240"	12	240	10.51	2,522
	250	HRB	24' -- 288"	12	288	10.51	3,027
	250	HRB	40' -- 480"	12	480	10.51	5,045
4X4	125	HRB	20' -- 240"	12	240	6.46	1,550
	125	HRB	24' -- 288"	12	288	6.46	1,860
	125	HRB	40' -- 480"	12	480	6.46	3,101
	188	HRB	20' -- 240"	12	240	9.42	2,261
	188	HRB	24' -- 288"	12	288	9.42	2,713
	188	HRB	40' -- 480"	12	480	9.42	4,522
	188	HRB	48' -- 576"	12	576	9.42	5,426
	250	HRB	20' -- 240"	12	240	12.21	2,930
	250	HRB	24' -- 288"	12	288	12.21	3,516
	250	HRB	40' -- 480"	12	480	12.21	5,861
	250	HRB	48' -- 576"	12	576	12.21	7,033
	313	HRB	20' -- 240"	12	240	14.83	3,559
	313	HRB	24' -- 288"	12	288	14.83	4,271
	313	HRB	40' -- 480"	12	480	14.83	7,118
	375	HRB	20' -- 240"	9	180	17.27	3,109
	375	HRB	24' -- 288"	9	216	17.27	3,730
	375	HRB	40' -- 480"	9	360	17.27	6,217
	375	HRB	48' -- 576"	9	432	17.27	7,461
	500	HRB	20' -- 240"	9	180	21.63	3,893
	500	HRB	24' -- 288"	9	216	21.63	4,672
500	HRB	40' -- 480"	9	360	21.63	7,787	
500	HRB	48' -- 576"	9	432	21.63	9,344	

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
5X3	188	HRB	20' -- 240"	12	240	9.42	2,261
	188	HRB	24' -- 288"	12	288	9.42	2,713
	188	HRB	40' -- 480"	12	480	9.42	4,522
	250	HRB	20' -- 240"	12	240	12.21	2,930
	250	HRB	24' -- 288"	12	288	12.21	3,516
	250	HRB	40' -- 480"	12	480	12.21	5,861
	375	HRB	20' -- 240"	12	240	17.27	4,145
	375	HRB	24' -- 288"	12	288	17.27	4,974
	375	HRB	40' -- 480"	12	480	17.27	8,290
	500	HRB	24' -- 288"	8	192	21.63	4,153
	500	HRB	40' -- 480"	8	320	21.63	6,922
6X2	125	HRB	20' -- 240"	12	240	6.46	1,550
	125	HRB	24' -- 288"	12	288	6.46	1,860
	125	HRB	40' -- 480"	12	480	6.46	3,101
	188	HRB	20' -- 240"	12	240	9.42	2,261
	188	HRB	24' -- 288"	12	288	9.42	2,713
	188	HRB	40' -- 480"	12	480	9.42	4,522
	250	HRB	20' -- 240"	12	240	12.21	2,930
	250	HRB	24' -- 288"	12	288	12.21	3,516
	250	HRB	40' -- 480"	12	480	12.21	5,861
6X3	188	HRB	20' -- 240"	12	240	10.7	2,568
	188	HRB	24' -- 288"	12	288	10.7	3,082
	188	HRB	40' -- 480"	12	480	10.7	5,136
	250	HRB	20' -- 240"	12	240	13.91	3,338
	250	HRB	24' -- 288"	12	288	13.91	4,006
	250	HRB	40' -- 480"	12	480	13.91	6,677
	313	HRB	40' -- 480"	9	360	16.96	6,106
	375	HRB	20' -- 240"	8	160	19.82	3,171
	375	HRB	24' -- 288"	8	192	19.82	3,805
	375	HRB	40' -- 480"	8	320	19.82	6,342
	500	HRB	40' -- 480"	6	240	25.03	6,007

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
5X5	188	HRB	20' -- 240"	12	240	11.97	2,873
	188	HRB	24' -- 288"	12	288	11.97	3,447
	188	HRB	40' -- 480"	12	480	11.97	5,746
	188	HRB	48' -- 576"	12	576	11.97	6,895
	250	HRB	20' -- 240"	9	180	15.62	2,812
	250	HRB	24' -- 288"	9	216	15.62	3,374
	250	HRB	40' -- 480"	9	360	15.62	5,623
	250	HRB	48' -- 576"	9	432	15.62	6,748
	313	HRB	24' -- 288"	9	216	19.08	4,121
	313	HRB	40' -- 480"	9	360	19.08	6,869
	313	HRB	48' -- 576"	9	432	19.08	8,243
	375	HRB	20' -- 240"	6	120	22.37	2,684
	375	HRB	24' -- 288"	6	144	22.37	3,221
	375	HRB	40' -- 480"	6	240	22.37	5,369
	375	HRB	48' -- 576"	6	288	22.37	6,443
	500	HRB	24' -- 288"	6	144	28.43	4,094
	500	HRB	40' -- 480"	6	240	28.43	6,823
	500	HRB	48' -- 576"	6	288	28.43	8,188
6X4	188	HRB	24' -- 288"	12	288	11.97	3,447
	188	HRB	40' -- 480"	12	480	11.97	5,746
	188	HRB	48' -- 576"	12	576	11.97	6,895
	250	HRB	20' -- 240"	9	180	15.62	2,812
	250	HRB	24' -- 288"	9	216	15.62	3,374
	250	HRB	40' -- 480"	9	360	15.62	5,623
	250	HRB	48' -- 576"	9	432	15.62	6,748
	313	HRB	40' -- 480"	9	360	19.08	6,869
	313	HRB	48' -- 576"	9	432	19.08	8,243
	375	HRB	20' -- 240"	6	120	22.37	2,684
	375	HRB	24' -- 288"	6	144	22.37	3,221
	375	HRB	40' -- 480"	6	240	22.37	5,369
	375	HRB	48' -- 576"	6	288	22.37	6,443
	500	HRB	20' -- 240"	6	120	28.43	3,412
	500	HRB	24' -- 288"	6	144	28.43	4,094
	500	HRB	40' -- 480"	6	240	28.43	6,823
	500	HRB	48' -- 576"	6	288	28.43	8,188
	8X2	188	HRB	24' -- 288"	12	288	11.97
188		HRB	40' -- 480"	12	480	11.97	5,746
250		HRB	20' -- 240"	10	200	15.62	3,124
250		HRB	24' -- 288"	10	240	15.62	3,749
250		HRB	40' -- 480"	10	400	15.62	6,248
7X4	250	HRB	40' -- 480"	9	360	17.32	6,235
	375	HRB	40' -- 480"	6	240	24.93	5,983

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
8X3	188	HRB	20' -- 240"	12	240	13.25	3,180
	188	HRB	24' -- 288"	12	288	13.25	3,816
	188	HRB	40' -- 480"	12	480	13.25	6,360
	250	HRB	20' -- 240"	12	240	17.32	4,157
	250	HRB	24' -- 288"	12	288	17.32	4,988
	250	HRB	40' -- 480"	12	480	17.32	8,314
	375	HRB	20' -- 240"	8	160	24.93	3,989
	375	HRB	24' -- 288"	8	192	24.93	4,787
	375	HRB	40' -- 480"	8	320	24.93	7,978
6X6	188	HBB	36' 1" -- 433"	9	325	14.53	4,719
	188	HRB	20' -- 240"	12	240	14.53	3,487
	188	HRB	24' -- 288"	12	288	14.53	4,185
	188	HRB	40' -- 480"	12	480	14.53	6,974
	188	HRB	48' -- 576"	12	576	14.53	8,369
	250	HRB	20' -- 240"	9	180	19.02	3,424
	250	HRB	24' -- 288"	9	216	19.02	4,108
	250	HRB	40' -- 480"	9	360	19.02	6,847
	250	HRB	48' -- 576"	9	432	19.02	8,217
	313	HRB	40' -- 480"	6	240	23.34	5,602
	313	HRB	48' -- 576"	6	288	23.34	6,722
	375	HRB	20' -- 240"	6	120	27.48	3,298
	375	HRB	24' -- 288"	6	144	27.48	3,957
	375	HRB	40' -- 480"	6	240	27.48	6,595
	375	HRB	48' -- 576"	6	288	27.48	7,914
	500	HRB	20' -- 240"	4	80	35.24	2,819
	500	HRB	24' -- 288"	4	96	35.24	3,383
	500	HRB	40' -- 480"	4	160	35.24	5,638
	500	HRB	48' -- 576"	4	192	35.24	6,766
	7X5	250	HRB	24' -- 288"	9	216	19.02
250		HRB	40' -- 480"	9	360	19.02	6,847
375		HRB	20' -- 240"	6	120	27.48	3,298
375		HRB	24' -- 288"	6	144	27.48	3,957
375		HRB	40' -- 480"	6	240	27.48	6,595
500		HRB	20' -- 240"	4	80	35.24	2,819
500		HRB	24' -- 288"	4	96	35.24	3,383
500		HRB	40' -- 480"	4	160	35.24	5,638

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
8X4	188	HRB	24' -- 288"	12	288	14.53	4,185
	188	HRB	40' -- 480"	12	480	14.53	6,974
	250	HRB	20' -- 240"	9	180	19.02	3,424
	250	HRB	24' -- 288"	9	216	19.02	4,108
	250	HRB	40' -- 480"	9	360	19.02	6,847
	250	HRB	48' -- 576"	9	432	19.02	8,217
	313	HRB	40' -- 480"	6	240	23.34	5,602
	375	HRB	20' -- 240"	6	120	27.48	3,298
	375	HRB	24' -- 288"	6	144	27.48	3,957
	375	HRB	40' -- 480"	6	240	27.48	6,595
	375	HRB	48' -- 576"	6	288	27.48	7,914
	500	HRB	24' -- 288"	6	144	35.24	5,075
500	HRB	40' -- 480"	6	240	35.24	8,458	
10X2	188	HRB	40' -- 480"	12	480	14.53	6,974
	250	HRB	40' -- 480"	10	400	19.02	7,608
7X7	188	HRB	40' -- 480"	6	240	17.08	4,099
	250	HRB	24' -- 288"	6	144	22.42	3,228
	250	HRB	40' -- 480"	6	240	22.42	5,381
	250	HRB	48' -- 576"	6	288	22.42	6,457
	375	HRB	20' -- 240"	4	80	32.58	2,606
	375	HRB	40' -- 480"	4	160	32.58	5,213
	375	HRB	48' -- 576"	4	192	32.58	6,255
	500	HRB	40' -- 480"	4	160	42.05	6,728
8X6	188	HRB	40' -- 480"	9	360	17.08	6,149
	188	HRB	48' -- 576"	9	432	17.08	7,379
	250	HRB	20' -- 240"	9	180	22.42	4,036
	250	HRB	24' -- 288"	9	216	22.42	4,843
	250	HRB	40' -- 480"	9	360	22.42	8,071
	250	HRB	48' -- 576"	9	432	22.42	9,685
	313	HRB	40' -- 480"	4	160	27.59	4,414
	375	HRB	20' -- 240"	4	80	32.58	2,606
	375	HRB	24' -- 288"	4	96	32.58	3,128
	375	HRB	40' -- 480"	4	160	32.58	5,213
	375	HRB	48' -- 576"	4	192	32.58	6,255
	500	HRB	40' -- 480"	4	160	42.05	6,728
	500	HRB	48' -- 576"	4	192	42.05	8,074
10X4	188	HRB	40' -- 480"	8	320	17.08	5,466
	250	HRB	20' -- 240"	8	160	22.42	3,587
	250	HRB	24' -- 288"	8	192	22.42	4,305
	250	HRB	40' -- 480"	8	320	22.42	7,174
	250	HRB	48' -- 576"	8	384	22.42	8,609
	375	HRB	40' -- 480"	6	240	32.58	7,819
	375	HRB	48' -- 576"	6	288	32.58	9,383
	500	HRB	40' -- 480"	3	120	42.05	5,046
	500	HRB	48' -- 576"	3	144	42.05	6,055

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
12X2	188	HRB	40' -- 480"	6	240	17.08	4,099
	250	HRB	24' -- 288"	6	144	22.42	3,228
	250	HRB	40' -- 480"	6	240	22.42	5,381
8X8	188	HRB	24' -- 288"	6	144	19.63	2,827
	188	HRB	40' -- 480"	6	240	19.63	4,711
	188	HRB	48' -- 576"	6	288	19.63	5,653
	250	HRB	24' -- 288"	6	144	25.82	3,718
	250	HRB	28' -- 336"	6	168	25.82	4,338
	250	HRB	40' -- 480"	6	240	25.82	6,197
	250	HRB	48' -- 576"	6	288	25.82	7,436
	313	HRB	40' -- 480"	4	160	31.84	5,094
	313	HRB	48' -- 576"	4	192	31.84	6,113
	375	HRB	24' -- 288"	4	96	37.69	3,618
	375	HRB	40' -- 480"	4	160	37.69	6,030
	375	HRB	48' -- 576"	4	192	37.69	7,236
	500	HRB	40' -- 480"	4	160	48.85	7,816
	500	HRB	48' -- 576"	4	192	48.85	9,379
	10X6	250	HRB	40' -- 480"	6	240	25.82
250		HRB	48' -- 576"	6	288	25.82	7,436
375		HRB	40' -- 480"	4	160	37.69	6,030
375		HRB	48' -- 576"	4	192	37.69	7,236
500		HRB	40' -- 480"	4	160	48.85	7,816
500		HRB	48' -- 576"	2	96	48.85	4,690
12X4	188	HRB	40' -- 480"	8	320	19.63	6,282
	250	HRB	40' -- 480"	6	240	25.82	6,197
	375	HRB	40' -- 480"	4	160	37.69	6,030
	375	HRB	48' -- 576"	4	192	37.69	7,236
12X6	250	HRB	40' -- 480"	4	160	29.23	4,677
	250	HRB	48' -- 576"	4	192	29.23	5,612
	375	HRB	40' -- 480"	4	160	42.79	6,846
	375	HRB	48' -- 576"	4	192	42.79	8,216
	500	HRB	40' -- 480"	4	160	55.66	8,906
	500	HRB	48' -- 576"	4	192	55.66	10,687
10X8	250	HRB	40' -- 480"	4	160	29.23	4,677
	375	HRB	40' -- 480"	4	160	42.79	6,846
	375	HRB	48' -- 576"	4	192	42.79	8,216
	500	HRB	40' -- 480"	4	160	55.66	8,906
	500	HRB	48' -- 576"	4	192	55.66	10,687
10X10	250	HRB	40' -- 480"	4	160	32.63	5,221
	313	HRB	40' -- 480"	4	160	40.35	6,456
	375	HRB	40' -- 480"	4	160	47.9	7,664
	375	HRB	48' -- 576"	4	192	47.9	9,197
	500	HRB	40' -- 480"	2	80	62.46	4,997
	500	HRB	48' -- 576"	2	96	62.46	5,996

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023



STRUCTURAL TUBING STOCK BUNDLE CHART

Size	Wall	Steel Type	Length	Pcs/Bundle	Footage	WT/FT	Weight
12X8	250	HRB	40' -- 480"	4	160	32.63	5,221
	375	HRB	40' -- 480"	4	160	47.9	7,664
	500	HRB	40' -- 480"	2	80	62.46	4,997

INVESTMENT. INNOVATION. INTEGRITY

Other Sizes and Wall Thickness are Available with Inquiry Rev. Sep 2017

Maruichi Leavitt Pipe Tube, LLC 1717 W. 115th St., Chicago, IL 60643 Phone 1-773-239-7700 Fax 1-773-239-1023